AD-A264 224					(
	PORT DOCUM	MENTATION	PAGE		
e and an include and an analysis of the angle of the angl	LA TOTAL	16 RESTRICTIVE			
ca security consistential and and and	1993.9	3 DISTRIBUTION			
A PERFORMING ORGANIZATION REPORT NUMBER(S)		Approved for public release; Unlimited distribution.			
		5 MONITORING ORGANIZATION REPORT NUMBER(S)			
		* *			8
Mame OF PERFORMING ORGANIZATION  Hatfield Marine Science Center	(If applicable)	78 NAME OF M	ONITORING ORG	ANIZATION	
Oregon State University	Air Force Office of Scientific Research/NL				
Marine Science Drive Newport, OR 97365		Building 4 Bolling AF			
NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER 92-J-0140 F49620-9251040				
BL. ADDRESS (City, State, and ZIP Code)	10 SOURCE OF	FUNDING NUME	ERS		
Building 410 Bolling AFB, DC 20332-6448		PROGRAM ELEMENT NO 61102F	PROJECT NO. 2312	TASK NO A1	WORK UNIT ACCESSION NO
Self-Organization of Activity  12. PERSONAL AUTHOR(S)  George J.			ing: Vari	ability an	d Chaos in
13a. TYPE OF REPORT 13b. TIME CO	14. DATE OF REM	14. DATE OF REPORT (Year, Month, Day) 15 PAGE COUNT			
Annual Report FROM 927 16. SUPPLEMENTARY NOTATION	1/15 <b>το</b> 93/2/1	93/3	1/9		1
17 COSATI CODES	18 SUBJECT TERMS	(Combride on rever	e d necessary	and stensily by	More gumbers
FIELD GROUP SUB-GROUP	rocessing, learning, muscarinic receptors, etworks				
19. ABSTRACT (Continue on reverse if necessary of	and identify by block	number)			
•	See revers	e side.			
93 5 1	04	2		93-10 	)752 
20. DISTRIBUTION / AVAILABILITY OF ABSTRACT  QUNCLASSIFIED/UNUMITED   SAME AS 9	PT DTC USER		SECURITY CLASS	FICATION	
229. NAME OF RESPONSIBLE INDIVIDUAL Dr. Genevieve Haddad				ode) 22c OFFI	CE SYMBOL
Op commented and and and and and and and and and an					

DO FORM 1473, 84 MAR

83 APR edition may be used until exhausted All other editions are obsolets. SECURITY CLASSIFICATION OF THIS PAGE
UNCLASSIFIED

## Abstract/Annual Report Year-1, AFOSR-F49620-92J1040 George J. Mpitsos

During the past year, we have made progress in several areas of the proposed research:

(1) Computer simulations of catalytic networks. Andrade et al. (1993) have recently published the results of our first simulations, and have addressed the problem of the effect that catalytic error has in controlling system dynamics. Simulations of large networks are being designed in order to examine spatio-temporal dynamics in reaction-diffusion systems. The aim is to develop visualization and analysis methods to apply to large networks composed of biologically realistic neurons.

(2) <u>Immunohistochemical studies</u> have examined mammalian tissues that may be useful as model systems to examine distributed function in neurotransmission and neuromodulation (Soinila and Mpitsos, 1992; Soinila et al., 1992). It is necessary, as these and other publications (e.g., Mpitsos and Soinila, 1993) indicate, not only to understand neural organization in a "simple" animal, but also to examine the applicability of the findings to higher

animals, and, if possible, to humans.

- (3) Molecular biological studies of muscarinic receptors: In previous AFOSR-published work, Murray et al. (1985) and Murray and Mpitsos (1988) demonstrated the presence of muscarinic receptors in neural tissues of the sea slug *Pleurobranchaea*. Mpitsos et al. (1988) showed further that brief pharmacologic blocking of these receptors enhances 1-Trial associative learning. Over the past year, we have developed cloning vectors for generating fusion proteins to all of the five known muscarinic receptor subtypes in humans. Our next step is to obtain immunofluorescent antisera to the fusion proteins in order to visually identify cells containing the different muscarinic receptors. The in-between step will be to determine the specificity of the antisera. The findings will be applicable not only to our experimental animal, but also to studies of learning and pathologies in humans. The aim of this work, in conjunction with the neurophysiological and computer studies, is to understand (a) how particular neurotransmitters and neuromodulators affect the activity of neural assemblies, and (b) how individual transmitters act within the framework of the many neurochemical factors that impinge on the identified neural assemblies.
- (4) Other studies. Inasmuch as the originally proposed budget was reduced by over one-third, we have not had sufficient woman/man-power to address two areas sufficiently. In one, the proposed computer-controlled training of animals in aquatic systems is still at the stage of software development, which I hope to have completed by the end of this year. In the second, the work on decomposition of extracellular records of spike trains to identify the activity interneurons that comprise the central pattern generator, and of all of the motor neurons that are activated by these interneurons, is so time-consuming that we have not had the resources to progress here as much as I would like. To facilitate the use of AFOSR funds, I generally apply the rule that the efforts in the laboratory must be directed toward experiments that make the greatest progress toward the fundamental goal of all of our work, namely to understand principles governing variable function in neural assemblies. As a result, work in areas that drain the efforts of the laboratory toward a single goal have to give way to other projects that appear to be generating more information.

#### **New Publications:**

Andrade, MA, Nuño, JC, Moran, F, Montero, F, Mpitsos, GJ (1993) Complex dynamics of a catalytic network having faulty replication into an error species. *Physica D*. In Press.

Mpitsos, GJ, Soinila, S (1993) In search of a unifying theory of biological organization: What does the motor system of a sea slug tell us about human motor integration? In *Variability and Motor Control*, (K. M. Newell, and D. Corcos, ed), Champaign: Human Kinetics. In press (April, 1993).

(A preprint of this, less edited, appeared in the 1991 Lecture Notes on Complex Systems, Santa Fe Institute; published in 1992)

Soinila, S, Bäck, N, Mpitsos, GJ (1992) Distribution of Met(5)-Enkephalin-Arg(6)-Gly(7)-Leu(8) immunoreactivity in the rat and mouse pituitary gland. Regul. Pept. 36: 271-282.

Soinila, S, Mpitsos, GJ, Soinila, J (1992) Enkephalin immunohistochemistry: Model studies on conjugation reaction and fixation. J. Histochem. Cytochem. 40: 231-239.

### Additional Cited References.

- Mpitsos, GJ, Murray, TF, Creech, HC, Barker, DL (1988) Muscarinic antagonist enhances One-trial food-aversion learning in *Pleurobranchaea*, *Brain Res. Bull.* 21: 169-179.
- Murray, TF, Mpitsos, GJ (1988) Evidence for heterogeneity of muscarinic receptors in the mollusc *Pleurobranchaea. Brain Res. Bull.* 21: 181-190.
- Murray. TF, Mpitsos. GJ, Siebenaller, JF, Barker, DL (1985) Stereoselective L-[<sup>3</sup>H] Quinuclidinyl Benzilate-binding sites in nervous tissue of *Aplysia californica*: Evidence for Muscarinic Receptors. *J. Neurosci.* 5: 3184-3188.

# Abstract/Annual Report Year-1, AFOSR-F49620-92J1040 George J. Mpitsos

During the past year, we have made progress in several areas of the proposed research:

(1) Computer simulations of catalytic networks. Andrade et al. (1993) have recently published the results of our first simulations, and have addressed the problem of the effect that catalytic error has in controlling system dynamics. Simulations of large networks are being designed in order to examine spatio-temporal dynamics in reaction-diffusion systems. The aim is to develop visualization and analysis methods to apply to large networks composed of biologically realistic neurons.

(2) <u>Immunohistochemical studies</u> have examined mammalian tissues that may be useful as model systems to examine distributed function in neurotransmission and neuromodulation (Soinila and Mpitsos, 1992; Soinila et al., 1992). It is necessary, as these and other publications (e.g., Mpitsos and Soinila, 1993) indicate, not only to understand neural organization in a "simple" animal, but also to examine the applicability of the findings to higher

animals, and, if possible, to humans.

- (3) Molecular biological studies of muscarinic receptors: In previous AFOSR-published work, Murray et al. (1985) and Murray and Mpitsos (1988) demonstrated the presence of muscarinic receptors in neural tissues of the sea slug Pleurobranchaea. Mpitsos et al. (1988) showed further that brief pharmacologic blocking of these receptors enhances 1-Trial associative learning. Over the past year, we have developed cloning vectors for generating fusion proteins to all of the five known muscarinic receptor subtypes in humans. Our next step is to obtain immunofluorescent antisera to the fusion proteins in order to visually identify cells containing the different muscarinic receptors. The in-between step will be to determine the specificity of the antisera. The findings will be applicable not only to our experimental animal, but also to studies of learning and pathologies in humans. The aim of this work, in conjunction with the neurophysiological and computer studies, is to understand (a) how particular neurotransmitters and neuromodulators affect the activity of neural assemblies, and (b) how individual transmitters act within the framework of the many neurochemical factors that impinge on the identified neural assemblies.
- (4) Other studies. Inasmuch as the originally proposed budget was reduced by over one-third, we have not had sufficient woman/man-power to address two areas sufficiently. In one, the proposed computer-controlled training of animals in aquatic systems is still at the stage of software development, which I hope to have completed by the end of this year. In the second, the work on decomposition of extracellular records of spike trains to identify the activity interneurons that comprise the central pattern generator, and of all of the motor neurons that are activated by these interneurons, is so time-consuming that we have not had the resources to progress here as much as I would like. To facilitate the use of AFOSR funds, I generally apply the rule that the efforts in the laboratory must be directed toward experiments that make the greatest progress toward the fundamental goal of all of our work, namely to understand principles governing variable function in neural assemblies. As a result, work in areas that drain the efforts of the laboratory toward a single goal have to give way to other projects that appear to be generating more information.

# New Publications:

Andrade, MA, Nuño, JC, Moran, F, Montero, F, Mpitsos, GJ (1993) Complex dynamics of a catalytic network having faulty replication into an error species. Physica D. In Press.

Mpitsos, GJ, Soinila, S (1993) In search of a unifying theory of biological organization: What does the motor system of a sea slug tell us about human motor integration? In Variability and Motor Control, (K. M. Newell, and D. Corcos, ed), Champaign: Human Kinetics. In press (April, 1993).

(A preprint of this, less edited, appeared in the 1991 Lecture Notes on Complex Systems, Santa Fe Institute; published in 1992)

Soinila, S, Bäck, N, Mpitsos, GJ (1992) Distribution of Met(5)-Enkephalin-Arg(6)-Glv(7)-Leu(8) immunoreactivity in the rat and mouse pituitary gland, Regul. Pept. 36: 271-282.

Soinila, S, Mpitsos, GJ, Soinila, J (1992) Enkephalin immunohistochemistry: Model studies on conjugation reaction and fixation. J. Histochem. Cytochem. 40: 231-239.

### Additional Cited References.

Mpitsos, GJ, Murray, TF, Creech, HC, Barker, DL (1988) Muscarinic antagonist enhances One-trial foodaversion learning in *Pleurobranchaea*. Brain Res. Bull. 21: 169-179.

Murray, TF, Mpitsos, GJ (1988) Evidence for heterogeneity of muscarinic receptors in the mollusc Pleurobranchaea. Brain Res. Bull. 21: 181-190.

Murray, TF, Mpitsos, GJ, Siebenaller, JF, Barker, DL (1985) Stereoselective L-[3H] Quinuclidinyl Benzilatebinding sites in nervous tissue of Aplysia californica: Evidence for Muscarinic Receptors. J. Neurosci. 5: 3184-3188.

NTIS & CR DIE TAL

Unannound stification

> Dibution Availab

Brack of the second of the